

[www.mattek.com.au](http://www.mattek.com.au)



**kenware**  
COMMERCIAL & INDUSTRIAL MATTING

solutions that work



## company profile

Welcome to Kenware Commercial & Industrial Matting, the market leading supplier of entrance, safety and comfort matting in Australia.

Kenware is a family owned and operated business based in Western Sydney established in 1972. Through three family generations of experience we can offer what the customer wants, a comprehensive range of quality products, that can be shipped out fast and arrive on time, all over Australia.

Product ranges are stocked in depth at our modern warehouse complex in Emu Plains, NSW. We are proud to offer "a mat for every application".

A correctly specified entrance mat can stop up to 90% of soil and moisture entering a building. This will create a cleaner, healthier facility but also will extend the life of the floor coverings. Safety and anti-fatigue mats have been proven to increase worker productivity and raise morale.

Kenware is careful to protect the environment we live in. Our commitment to sustainable practices is demonstrated by the use of recycled materials in many of our products and packaging wherever possible. Kenware sources from suppliers who share our environmental concerns.

Our customer service team are on hand to ensure prompt, professional response to your requirements. We have a dedicated "Matting Hotline" **1300 KENWARE** which our sales consultants are ready to provide a solution to your need.

## Office & Commercial Entrance Mats



Floor Shield	5
Ribbed Mat	5
Cushion Mat	6
Chevron Scraper	6
Esteem Mat	7
Prestige Mat	7
Eco Mat -Eco Rib	8
Eco Mat - Cross Hatch	8
Eco Mat - Mosaic	9
Eco Mat - Wondersorb	9
Tough Scrape	10
Absorba Mat	10
Premium Scraper	11
Master Scraper	11
Super Scraper	12
Deluxe Scraper	12
PVC Backed Coir Mats	13
Coir Mats	13
True Grip	14
Rubber Brush Scraper	14
Coir Logo Mats	15
Logo Mats	15
Safety Message Mats	16
Message Mats	16
PVC Chair Mats	17
Printed Chair Mats	18
Polycarbonate Chair Mats	18
Aqua Velour	19
Aqua Rib	19
Car Carpet	19
Trio Runner	20
Vinyl Carpet Runner	20
Action Grass	20

## Comfort & Safety Mats



Monster Mat	22
Soft Foot	22
Comfi Tred	23
Ergo Tred	23
Air Grid	24
Diamond Foot	24
Sliptech Matting	25
Ultra Stand	25
Comfort Link-Solid	26
Multi Purpose Tile	26
Solid Top Anti-Fatigue	27
Bubble Mat	27
Easy Tile	28
Rubber Mat Rolls	28

## Wet Area Safety Mats



Cushion Deck	30
Comfort Link	30
True Grip	31
Maxi Grip	31
Safety Cushion	32
Comfort Clean	32
Air Grid Holed	33
Ultra Stand Holed	33
Cushion Mat Unbacked	34
Safeguard Matting	34
Utility Matting	35
Tube Tred	36
Supa Grippa	36

## Specialised Safety Mats



Boot Dip	38
Tacky Mat	38
Diamond Foot Weldsafe	39
Welding Mat	39
Fire Resistant Mat	40
Switchboard Corrugated	40
Conductive Diamond Foot	41
Softstat Dissipative Matting	41

## Accessories



Edging	42
Grounding Cord	42
Non-Skid Backing	42

## Miscellaneous



Tactiles	43
Lane Marking Tape	43
Anti-Slip Tapes	43
Cable Protector	44
Cable Safe	44
Bar Runners	44
Access Ramps	45
Bottle Brush Mats	45
Sure Track	45

**matTEK**®

a mat for every application



Protecting your floor whilst caring  
for the environment



PROTECT YOUR FLOORCOVERING



# office & commercial entrance mats





# Floor Shield

## PRODUCT PERFORMANCE

ABSORPTION    

APPEARANCE    

SOIL REMOVAL  

WEAR   

CODE	SIZE
PP23	600 x 900mm
PP34	900 x 1200mm
PP35	900 x 1500mm

9mm thick

RUNNER WIDTHS:

900mm  
1200mm  
1800mm



## FEATURES

- Absorbs water and dirt from shoes while hiding it from sight.
- Attractive smooth plush pile mat for medium traffic areas.
- Easy to clean and dries quickly.
- Solution dyed polypropylene to prevent fading.

# Ribbed Mat

## PRODUCT PERFORMANCE

ABSORPTION    

APPEARANCE   

SOIL REMOVAL   

WEAR   

CODE	SIZE
RM23	600 x 900mm
RM35	900 x 1500mm
RM46	1200 x 1800mm

7mm thick

RUNNER WIDTHS:

900mm  
1200mm  
1800mm



## FEATURES

- Effective and economical mat for medium traffic areas.
- Attractive bi-level construction traps dirt.
- Coarse fibres scrape dirt and debris from shoes.
- Solution dyed to prevent fading.
- Easy to clean and dries quickly.




Red



Green



Pepper



Blue




Brown



# Cushion Mat

www.mattek.com.au



Black

Grey

Brown


## FEATURES

- All weather construction suitable for indoor or outdoor.
- The surface of the mat is always clean and dry.
- Collects tracked in dirt and water.
- Can be used in recesses.

# Chevron Scraper

## FEATURES

- Attractive herringbone scrape mat for medium traffic areas.
- High moisture absorption.
- Excellent scraping quality.
- PVC backing and borders.



Pepper

## PRODUCT PERFORMANCE

ABSORPTION

APPEARANCE ✓✓✓

SOIL REMOVAL ✓✓✓✓

WEAR ✓✓

CODE	SIZE
CMS	450 x 600mm
CM23	600 x 900mm
CM35	900 x 1500mm

12mm thick

RUNNER WIDTHS:  
1200mm



## PRODUCT PERFORMANCE

ABSORPTION ✓✓✓✓✓

APPEARANCE ✓✓✓✓✓

SOIL REMOVAL ✓✓✓✓

WEAR ✓✓✓✓

CODE	SIZE
CHV35	900 x 1500mm
CHV46	1200 x 1800mm

8mm thick

RUNNER WIDTHS:  
900mm, 1200mm, 1800mm



# Esteem Mat



## PRODUCT PERFORMANCE

- ABSORPTION ✓✓✓✓✓  
 APPEARANCE ✓✓✓✓✓  
 SOIL REMOVAL ✓✓✓✓  
 WEAR ✓✓✓✓✓

CODE	SIZE
ESM3R	400 x 700mm
ESM6R	600 x 900mm
ESM9R	900 x 1200mm

8mm thick


## FEATURES

- Heavy duty rubber backing with a stylish polypropylene surface.
- All weather construction indoor or outdoor mat.
- Surface absorbs water and scrapes shoes clean.
- Easy to clean by vacuum or hose.
- Low profile with safety borders.

# Prestige Mat

## FEATURES

- Attractive, hard wearing mat for medium traffic entrances
- Heavy duty rubber backed with a stylish polypropylene surface.
- All weather construction suitable for indoor or outdoor.
- Grippers on underside.
- Raised reinforced rubber border helps trap moisture and dirt.



## PRODUCT PERFORMANCE

- ABSORPTION ✓✓✓✓✓  
 APPEARANCE ✓✓✓✓✓  
 SOIL REMOVAL ✓✓✓✓✓  
 WEAR ✓✓✓✓✓

CODE	SIZE
PSM3D	450 x 750mm
PSM6D	600 x 900mm
PSM12D	900 x 1500mm
PSM18D	1200 x 1800mm

11mm thick



# ECO Mat - Eco Rib

[www.mattek.com.au](http://www.mattek.com.au)

Our ongoing mission is a cleaner environment through the use of recycled materials in our products. We are constantly procuring environmentally sound materials and processes that meet our criteria, while still maintaining our superior quality standards.

These mats are made from recycled materials. By purchasing these mats you are helping to keep the environment clean.



## PRODUCT PERFORMANCE

ABSORPTION (✓✓✓✓✓)

APPEARANCE (✓✓✓✓)

SOIL REMOVAL (✓✓✓✓)

WEAR (✓✓✓✓)

CODE	SIZE
ER23	600 x 900mm
ER35	900 x 1500mm
ER46	1200 x 1800mm

8mm thick



## PRODUCT PERFORMANCE

ABSORPTION (✓✓✓✓✓)

APPEARANCE (✓✓✓✓✓)

SOIL REMOVAL (✓✓✓✓)

WEAR (✓✓✓✓)

CODE	SIZE
TCH23	600 x 900mm
TCH35	900 x 1500mm
TCH46	1200 x 1800mm

10mm thick

## FEATURES

- Effective and economical mat for medium traffic areas.
- Attractive bi-level construction traps dirt.
- Coarse fibres scrape dirt and debris from shoes.
- Solution dyed to prevent fading.
- Easy to clean and dries quickly.
- Base made from 65% recycled plastics and rubber.



Pepper

## FEATURES

- Recycled carpet surface - made from scrap PET bottles
- Recycled rubber base - made from scrap rubber tyres.
- Ultra-absorbent top — dries shoes quickly.
- Reinforced bi-directional ribs scrub shoes effectively.
- Raised dam border traps moisture and debris.



Smoke



Walnut





# ECO Mat - Mosaic



## PRODUCT PERFORMANCE

ABSORPTION     

APPEARANCE     


SOIL REMOVAL   

WEAR   

CODE	SIZE
EM180	1800mm Width

9mm thick

 Custom Sizes Available



Pepper

## FEATURES

- Recycled carpet surface, made from scrap PET bottles.
- Moulded recycled rubber backing, made from scrap tyres.
- Holds 7L of water per square metre.
- Abrasive scraping fabric surface.
- Edging available.
- Suitable for inlaid or loose laid matting.

# ECO Mat - Wondersorb

## FEATURES

- Ultra absorbent surface retains large amounts of liquid.
- Machine washable.
- 'Dual zone' gripper backing — will grip any floor type.
- Mat surface 100% recycled, made from scrap PET bottles.
- Nitrile rubber backing won't crack or tear.



## PRODUCT PERFORMANCE

ABSORPTION     

APPEARANCE     

SOIL REMOVAL  

WEAR    

CODE	SIZE
WS23CHL	600 x 850mm
WS34CHL	850 x 1200mm
WS35CHL	850 x 1500mm

7mm thick



Charcoal



# Tough Scrape

www.mattek.com.au



Pepper

## FEATURES

- Optional heavy duty edging available.
- Coarse fibres scrape dirt and debris from shoes.
- Solution dyed to prevent fading.
- Easy to clean.
- Dries quickly.
- High water absorption.

# Absorba Mat



Pepper

## FEATURES

- Heavy duty mat for high traffic areas.
- Grippers on underside minimise movement.
- Raised reinforced rubber dam border.
- Reinforced rubber raised squares to prevent pile from crushing, improving wear ability.
- For indoor/outdoor use.

AVAILABLE TO ORDER



Brown



Blue



Red

## PRODUCT PERFORMANCE

ABSORPTION ✓✓✓✓✓

APPEARANCE ✓✓✓✓

SOIL REMOVAL ✓✓✓✓✓

WEAR ✓✓✓✓✓

CODE	SIZE
TS200	2000mm Width
TS400	4000mm Width

10mm thick



## PRODUCT PERFORMANCE

ABSORPTION ✓✓✓✓✓

APPEARANCE ✓✓✓✓✓

SOIL REMOVAL ✓✓✓✓✓

WEAR ✓✓✓✓✓

CODE	SIZE
AB23	620 x 860mm
AB35	860 x 1440mm
AB310	860 x 2970mm
AB410	1140 x 2970mm
AB46	1140 x 1690mm
AB610	1750 x 2920mm
AB620	1800 x 6045mm

8mm thick





www.mattek.com.au

# Premium Scraper

## PRODUCT PERFORMANCE

ABSORPTION     

APPEARANCE     

SOIL REMOVAL     

WEAR    

CODE	SIZE
PS180	1800mm Width

10mm thick



Pepper

## FEATURES

- Great versatility when it comes to custom cut applications & large entrance areas.
- Constructed using the latest technologies to enhance the performance life & appearance retention.
- Constructed using 100% polypropylene fibre which will not fade or rot.
- Easy clean & dries quickly.
- Optional heavy duty edging available.

# Master Scraper

## FEATURES

- Double action: scraping and drying.
- Coarse fibre needle felt with alternating brushes and soft strips.
- Effective brushing and drying effect.
- Drainage of dirt and water through collector channels.
- Can be cut to measure in any direction without fraying.



Charcoal

## PRODUCT PERFORMANCE

ABSORPTION     

APPEARANCE     

SOIL REMOVAL     

WEAR     

CODE	SIZE
MS200	2000mm Width

15mm thick





# Super Scraper


www.mattek.com.au

## FEATURES

- Starting soil prevention outside the building.
- The ideal solution for busy commercial entrances.
- Can be cut to measure in any direction without fraying.
- Moisture escapes easily through drainage slots.



Charcoal



## PRODUCT PERFORMANCE

ABSORPTION ✓✓✓✓

APPEARANCE ✓✓✓✓✓✓✓✓

SOIL REMOVAL ✓✓✓✓✓✓✓✓

WEAR ✓✓✓✓✓✓✓✓

CODE	SIZE
SS200	2000mm Width



15mm thick



# Deluxe Scraper

## FEATURES

- 3 designer coloured fibre inserts, plus rubber.
- UV stabilised, minimising fading including external applications.
- Continuous extruded hinge mechanism allows easy 'roll-up' which assists cleaning of the matwell.
- Rubber backed for quietness.
- Recessed or surface mounted matwell frames.
- Custom manufactured to your dimensions.
- Curved, circular and shaped to your design.
- Low profile.



Rubber



Charcoal



Deep Red



Slate Grey

## PRODUCT PERFORMANCE

ABSORPTION ✓✓✓✓✓✓

APPEARANCE ✓✓✓✓✓✓✓✓

SOIL REMOVAL ✓✓✓✓✓✓✓✓

WEAR ✓✓✓✓✓✓✓✓

CODE	SIZE
DS200	Custom Made

13mm thick

Up to 6500mm in width





# PVC Backed Coir Mats



17mm Thick



24mm Thick



30mm Thick

## PRODUCT PERFORMANCE

ABSORPTION ✓✓✓✓

APPEARANCE ✓✓

SOIL REMOVAL ✓✓✓✓

WEAR ✓✓✓

CODE	THICKNESS
PBC17	17mm
PBC24	24mm
PBC30	30mm

Cut to size - 1 & 2mtr Wide Rolls



## FEATURES

- High moisture absorption.
- Excellent scraping quality.
- Suitable for mat wells.
- Environmentally friendly.



Black\*



Grey\*



Natural

\* Only available in 17mm thick, 2m wide

# Coir Mats

## Promotional Coir

- Latex edges.
- High moisture absorption.
- Excellent scraping quality.
- Environmentally friendly.

## Top Quality Coir

- Hand woven sides.
- High moisture absorption.
- Excellent scraping quality.
- Environmentally friendly.

## PRODUCT PERFORMANCE

ABSORPTION ✓✓✓✓

APPEARANCE ✓✓

SOIL REMOVAL ✓✓✓✓

WEAR ✓✓✓

CODE	SIZE
PCI	350 x 600mm
PC2	400 x 680mm
PC3	450 x 750mm
PC4	500 x 850mm
PC5	550 x 900mm

23mm thick

CODE	SIZE
FM1	350 x 600mm
FM2	400 x 680mm
FM3	450 x 750mm
FM4	500 x 830mm
FM6	600 x 1000mm
FM8	700 x 1150mm
FM10	800 x 1300mm
FM12	900 x 1450mm

40mm thick







# True Grip



[www.mattek.com.au](http://www.mattek.com.au)



FEATURES

- Safety mat for wet and slippery entrances.
- Raised lugs for maximum grip.
- Excellent scraping qualities.
- Bevelled edges for safety.

# Rubber Brush Scraper



FEATURES

- Heavy duty outdoor scraper mat.
- Rubber studs dislodge dirt from shoes.
- Slip resistant base.
- Ramped edge for added safety.
- Excellent outdoor mat.

PRODUCT PERFORMANCE

ABSORPTION

APPEARANCE ✓✓✓

SOIL REMOVAL ✓✓✓✓✓

WEAR ✓✓✓✓✓

CODE	SIZE
TG35	900 x 1500mm
TG46	1200 x 1800mm

8mm thick

PRODUCT PERFORMANCE

ABSORPTION

APPEARANCE ✓✓✓

SOIL REMOVAL ✓✓✓✓✓

WEAR ✓✓✓✓✓

CODE	SIZE
RBB	610 x 810mm
RBM	710 x 1070mm
RBL	910 x 1830mm

11mm thick

RUNNER WIDTHS: 1000mm





www.mattek.com.au

# Coir Logo Mats

## PRODUCT PERFORMANCE

ABSORPTION ✓✓✓✓

APPEARANCE ✓✓

SOIL REMOVAL ✓✓✓✓

WEAR ✓✓✓

CODE	SIZE
FPCM	Made to your requirement



## FEATURES

- A great way to get your message across to everyone that comes through your door.
- Available in PVC Backed Coir for recessed matting or as loose lay Coir Mats.

# Logo Mats

## FEATURES

- A great way to get your message across to everyone that comes through your door.
- Hard wearing nylon plush pile makes for a clean cut image with a long life.
- Rubber backing and borders.
- Machine washable.

## PRODUCT PERFORMANCE

ABSORPTION ✓✓✓✓

APPEARANCE ✓✓✓✓

SOIL REMOVAL ✓✓✓✓

WEAR ✓✓✓

CODE	SIZE
LM23	600 x 850mm
LM34	850 x 1200mm
LM35	850 x 1500mm
LM46	1150 X 1750mm

7mm thick



# Safety Message Mats

www.mattek.com.au



LM35WYS



LM35SSH



LM35STS

## FEATURES

- Hard wearing nylon plush pile makes for a clean cut image with a long life.
- PVC backing and borders.

## PRODUCT PERFORMANCE

ABSORPTION ✓✓✓✓✓

APPEARANCE ✓✓✓✓✓

SOIL REMOVAL ✓✓✓

WEAR ✓✓✓

# Message Mats

## FEATURES

- Hard wearing nylon plush pile makes for a clean cut image with a long life.
- PVC backing and borders.
- A great way to get a simple message across.



LM34COF



LM35WEL

## PRODUCT PERFORMANCE

ABSORPTION ✓✓✓✓✓

APPEARANCE ✓✓✓✓✓

SOIL REMOVAL ✓✓✓

WEAR ✓✓✓

CODE	SIZE
LM35WEL	900 x 1500mm
LM34COF	900 x 1500mm

9mm thick





www.mattek.com.au

# PVC Chair Mats



CODE	SIZE
PCM34S smooth*	920 x 1220mm
PCM34G gripper*	920 x 1220mm
PCM45S smooth*	1140 x 1350mm
PCM45G gripper*	1140 x 1350mm
PCM50S smooth°	1200 x 1500mm
PCM50G gripper°	1200 x 1500mm

3mm thick


\*= Keyhole °=Rectangle

## FEATURES

- Made from clear heavy duty PVC.
- Assists chair movement.
- Protects carpets and hard floors.
- Available with grippers for carpet floors.
- Available with smooth back for hard floors.
- Bevelled edges for easy roll on or off.

# Printed Chair Mats

www.mattek.com.au



## FEATURES

- Four eye catching designs.
- Made of high quality Makrolon® 100% recyclable.
- Hardwearing and durable.
- PVC free and odourless.
- Adheres to carpet or hard floors.

CODE	SIZE
PMM34CP°	920 x 1220mm
PMM34PB°	920 x 1220mm
PMM34RD°	920 x 1220mm
PMM34SS°	920 x 1220mm

2mm thick

°=Rectangle

# Polycarbonate Chair Mats

## FEATURES

- Made from ultra durable polycarbonate
- Can be 100% recycled.
- Available with smooth or gripper backing.
- 2 year warranty.



CODE	SIZE
PCC34G gripper*	910 x 1220mm
PCC34S smooth*	910 x 1220mm

3mm thick

\*= Rectangle





# Aqua Velour



Anthracite



Smoke



Dark Blue



Beige

## FEATURES

- Heavy duty indoor/outdoor carpet in Plush Velour design with latex backing.
- Ideal for boating/marine environments, poolside and outdoor entertaining areas.
- UV stabilised.

CODE	SIZE
AQV200	2000mm x 40m roll

9mm thick

# Aqua Rib



Anthracite



Smoke



Dark Blue



Beige

## FEATURES

- Heavy duty indoor/outdoor carpet in Tri-rib design with latex backing.
- Ideal for boating/marine environments, poolside and outdoor entertaining areas.
- UV stabilised.

CODE	SIZE
AQR200	2000mm x 40m roll

9mm thick

# Car Carpet

## FEATURES

- Quality Velour low profile polypropylene carpet with latex backing
- Ideal for upholstery of cars, equipment and staging



Anthracite



Black

CODE	SIZE
CC200	2000mm x 40m roll
CC400	4000mm x 40m roll

6mm thick

# Trio Runner

www.mattek.com.au



Anthracite



Grey



Blue



Beige

## FEATURES

- Heavy duty Tri-ribbed indoor runner with non-slip foam rubber backing
- Ideal for medium traffic entrances and runners.
- Can be used as permanent or temporary floor covering.
- Can be shaped for special applications.
- Excellent scraper material.
- Easy to clean.

# Vinyl Carpet Runners

6mm thick



Light Duty



Heavy Duty

## FEATURES

- Clear with herringbone design and grippers underneath.
- Extra thickness for longer life and better appearance.
- Protects floors from dirt and water.

CODE	SIZE
VCP68 (LD)	32m x 685mm
VCP90 (HD)	18m x 920mm
VCP120 (HD)	18m x 1220mm

HD = Heavy Duty (2.5mm thick)  
LD = Light Duty (1mm thick)

# Action Grass

## FEATURES

- Polypropylene Grass with marine backing
- Ideal for outdoor living/entertaining areas, playgrounds, under pool flooring



Action Grass

CODE	SIZE
ASG200	2000mm x 25m roll

8mm thick






# comfort & safety mats



# Monster Mat

www.mattek.com.au



- PVC closed cell foam mat.
- Comfortable, non-slip mat.
- Bevelled edges for safety.
- Ideal for around rehab equipment, under gym equipment or as an exercise mat.



## PRODUCT PERFORMANCE

- COMFORT ✓✓
- GRIP ✓✓✓
- WEAR ✓


CODE	SIZE
MM34	1200 x 900mm
MM36	1960 x 900mm

6mm thick


# Soft Foot

## FEATURES


- Rugged, durable closed cell vinyl sponge antifatigue matting.
- Comfortable cushion surface with non slip ribs and bevelled edges.
- May be cut to desired shape.
- Easy to clean.
- Ideal for use in warehouses, counters, checkouts or any dry area.



Standard Grey



Safety Yellow



## PRODUCT PERFORMANCE

- COMFORT ✓✓✓
- GRIP ✓✓✓
- WEAR ✓✓

CODE	SIZE
SSM	900mm runner
SSSM	900mm runner*

\* Black with yellow edge  
12mm Thickness

Custom Sizes  
Available







www.mattek.com.au



comfort & safety mats

# Comfi Tred



### PRODUCT PERFORMANCE

COMFORT   

GRIP   

WEAR    

CODE	SIZE
CT23	600 x 900mm
CT34	900 x 1200mm

13mm Thickness

### FEATURES

- Smooth surface for easy cleaning.
- Unique base designed to relieve the strain of constant standing.
- Suction cups under to prevent movement.
- Bevelled edges for added safety.
- 100% natural rubber.

# Ergo Tred



### FEATURES

- Suited to relieve the strain of constant standing.
- Domed surface ergonomically designed to improve circulation and give maximum comfort.
- Ideal for checkouts, workstations and counters.
- 100% natural rubber.

### PRODUCT PERFORMANCE

COMFORT    

GRIP   

WEAR   

CODE	SIZE
ASBLK	600 x 900mm (BB)
ASYEL	600 x 900mm (YB)
ETMBLK	900 x 1200mm (BB)
ETMYEL	900 x 1200mm (YB)

(BB) Black Border (YB) Yellow Border

16mm thick

RUNNER WIDTHS:

600mm


900mm

1200mm



# Air Grid

www.mattek.com.au



## FEATURES

- Unique combination of comfort and wear features.
- Non-slip rubber surface.
- Relieves the strain on legs.
- Suction cups assist mats adhesion.
- Optional grease proof (Terracotta).
- Ideal for demanding work areas wet or dry.

Available colours: Yellow Border, Terracotta, Black


# Diamond Foot

## FEATURES


- Slip resistant, hard wearing and chemical resistant surface.
- Yellow safety borders.
- Resilient sponge base to enhance comfort.
- Ideal for all dry areas including warehouses and workstations.
- Recycled option, topping 65% recycled.



Solid Black



Chevron



Yellow Border



Recycled



## PRODUCT PERFORMANCE

COMFORT ✓✓✓✓✓

GRIP ✓✓✓✓✓

WEAR ✓✓✓✓✓

CODE	SIZE
AG23BLK	600 x 900mm
AG23YEL	600 x 900mm (YB)
AG34BLK	900 x 1200mm
AG34G	900 x 1200mm (GP)
AG34YEL	900 x 1200mm (YB)

14mm thick

RUNNER WIDTHS:

600mm

900mm

1200mm

(GP) Grease Proof (YB) Yellow Border



## PRODUCT PERFORMANCE

COMFORT ✓✓✓✓✓

GRIP ✓✓✓✓✓

WEAR ✓✓✓✓✓

## STANDARD

CODE	SIZE
DF23	600 x 900mm
DF35	900 x 1500mm

14mm thick

RUNNER WIDTHS:

600mm

900mm

1200mm



## RECYCLED

CODE	SIZE
ED23	600 x 900mm
ED35	900 x 1500mm

14mm thick

RUNNER WIDTHS:

900mm



# Sliptech Matting

## PRODUCT PERFORMANCE

COMFORT ✓✓✓✓✓✓

GRIP ✓✓✓✓✓✓

WEAR ✓✓✓

CODE	SIZE
ST23	600 x 900mm
ST35	900 x 1500mm

16mm thick

RUNNER WIDTHS:

600mm  
900mm  
1200mm

**Custom Sizes Available**

## FEATURES

- Excellent antifatigue properties.
- Rubberised pyramid surface for extra traction.
- Surface resists most common chemicals.
- Easy to clean.
- Optional yellow border.

Black

Yellow

# Ultra Stand

## FEATURES

- Offers extreme comfort properties
- Resists all chemicals, oils, greases and fats.
- Machine washable.
- Anti-microbial.
- Non-slip base & top.
- Closed cell foam does not absorb liquid.

## PRODUCT PERFORMANCE

COMFORT ✓✓✓✓✓✓

GRIP ✓✓✓✓✓✓


WEAR ✓✓✓✓✓✓

CODE	SIZE
US23	610 x 915mm
US35	915 x 1525mm

17mm thick



White



Black

# Comfort Link - Solid

www.mattek.com.au

Solid



Edging

## FEATURES

- Mats link to form desired shape.
- Comfortable mat for use in any dry area.
- Bevelled edges available in black or yellow.
- Optional holed version (see page 31).

## PRODUCT PERFORMANCE

COMFORT ✓✓✓✓

GRIP ✓✓✓✓

WEAR ✓✓✓✓✓

CODE	SIZE
TES	900 x 900mm (solid)
TEEC	975 x 75mm (edge/corner)
TEE	900 x 75mm (Edge)

16mm thick

(See page 30 for wet area.)

## FEATURES

- Made From Recycled Rubber.
- Heavy Duty Rubber Construction.
- Temporary Or Permanent Flooring.
- Can Be Used Indoor Or Outdoor.
- Convenient Size For Easy Installation.
- Insulates From Cold, Hard Floors.



Mat - 95% Recycled

## PRODUCT PERFORMANCE

COMFORT ✓✓

GRIP ✓✓✓✓✓

WEAR ✓✓✓✓✓

CODE	SIZE
MRT1	1m x 1m x 15mm Thick

15mm thick





www.mattek.com.au

# Solid Top Anti-fatigue

END

CENTRE

SINGLE

## PRODUCT PERFORMANCE

COMFORT ✓✓✓✓

GRIP ✓✓✓✓

WEAR ✓✓✓✓

CODE	SIZE
STAE - end	700 x 800mm
STAC - centre	700 x 800mm
STAS - single	700 x 800mm

15mm thick

## FEATURES

- Versatile and economical anti-fatigue system.
- Smooth surface for easy cleaning.
- Suitable for light trolleys.
- Modules fit together easily & quickly.
- Slip resistant top.
- Ideal for counters, workstations and production lines.

# Bubble Mat

## FEATURES

- Maximum comfort system for dry work areas.
- Modules fit together easily and quickly.
- Safety yellow border comes standard with this item.

END

CENTRE

SINGLE

## PRODUCT PERFORMANCE

COMFORT ✓✓✓✓✓

GRIP ✓✓✓

WEAR ✓✓✓

CODE	SIZE
BMEYEL - end	800 x 800mm
BMCYEL - centre	800 x 800mm
BMSYEL - single	800 x 800mm

16mm thick

# Easy Tile

www.mattek.com.au

## FEATURES

- Fast and attractive renewal of floor surfaces.
- Ultra durable.
- Withstands heavy load conditions.
- Easy to remove and replace or re-install.
- Resists most chemicals and solvents.
- Easy to clean and maintain.
- Available with corners and edges.
- Made of Recycled PVC.
- Mats - Pack of 10 pieces.
- Edge/Corner - Pack of 4 pieces.

## PRODUCT PERFORMANCE

COMFORT ✓

GRIP ✓✓✓✓✓

WEAR ✓✓✓✓

CODE	SIZE
ETT (Tile)	450 x 450 x 4mm
ETC (Corner Edge)	525 x 60mm
ETE (Edge)	450 x 60mm

4mm thick

# Rubber Mat Rolls

## FEATURES

- Anti-slip surface.
- Hardwearing natural rubber.
- Protects floors.
- Easy to sweep.
- Ideal as floor covering, ute/van flooring, or cut to size.



Fine Rib



Wide Rib

## PRODUCT PERFORMANCE

COMFORT ✓

GRIP ✓✓✓✓✓

WEAR ✓✓✓✓✓

CODE	SIZE
RMRF100 *	10m x 1000mm
RMRW100 *	10m x 1000mm
RMRF180*	10m x 1800mm
RMRW180 Ø	10m x 1800mm

\* 3.5mm thick    Ø 6mm thick

**Custom Sizes Available**






# wet area safety mats



# Cushion Deck Tile

www.mattek.com.au



## FEATURES

- Easy to assemble
- Great for wet areas
- Easy drain design
- Anti-fatigue flooring
- Provides comfort from cold, hard floors
- Made from PVC
- Packs of 9 pieces

## PRODUCT PERFORMANCE

COMFORT ✓✓✓✓

GRIP ✓✓✓✓✓

WEAR ✓✓✓✓✓✓

DRAINAGE ✓✓✓✓✓✓

CODE	SIZE
CDT	300 x 300mm

16mm thick

# Comfort Link



## FEATURES

- Mats link to form desired shape.
- Holed design & solid.
- Bevelled edges available in black or yellow.
- Suitable for wet or dry areas.
- Optional 'grit top' for very slippery areas.
- Optional solid top (see page 27).

## PRODUCT PERFORMANCE

COMFORT ✓✓✓✓✓

GRIP ✓✓✓✓

WEAR ✓✓✓✓✓

DRAINAGE ✓✓✓✓✓✓

CODE	SIZE
TE	900 x 900mm (holed)
TEEC	900 x 75mm (edge/corner)
TEE	900 x 75mm (edge)
TEG	900 x 900mm holed (GP)
TEA	900 x 900mm holed (GT)


16mm thick

(GT) Grit Top (GP) Grease Proof


Grit Top



Edging



Holed



Grease Proof





www.mattek.com.au

# True Grip



Holed

## PRODUCT PERFORMANCE

COMFORT ✓

GRIP ✓✓✓✓✓

WEAR ✓✓✓✓✓

DRAINAGE ✓✓✓✓✓ (HOLED)

CODE	SIZE
TG35	900 x 1500mm (solid)
TG46	1200 x 1800mm (solid)
TG35H	900 x 1500mm (holed)

8mm thick

## FEATURES

- Safety mat for wet and slippery areas.
- Raised lugs for maximum grip.
- Open slots to allow drainage. (Holed)
- Nitrile rubber compound to resist oils & fats.
- Bevelled edges for safety.

# Maxi Grip



## PRODUCT PERFORMANCE

COMFORT ✓

GRIP ✓✓✓✓✓

WEAR ✓✓✓✓✓

DRAINAGE

CODE	SIZE
UG35	900 x 1500mm
UG310	900 x 3000mm

6mm thick



## FEATURES

- Raised gripper surface provides traction in slippery areas.
- Nitrile rubber compound resists damaging effects of grease and fats.
- Reversible - either side can be used.
- Ideal for wet slippery areas such as ramps, kitchens, machine shops, grocery stores, supermarkets and florists.



# Safety Cushion

www.mattek.com.au



## FEATURES

- Popular general purpose safety mat.
- Comfort non-slip mat.
- Bevelled edges for safety.
- Optional grease resistant formula.
- Ideal for factories, kitchens, food preparation areas, boats and behind counters.

# Comfort Clean

## FEATURES

- Made from 100% Nitrile Rubber – resistant to greases and oils.
- Raised lugs provide excellent traction and also keeps mat surface dry.
- Closed cell “sponge” formula, makes mat comfortable.
- Holed option for wet areas.
- Solid option for dry or light wet areas.
- Bevelled edges for added safety.
- Machine washable.



Solid



Holed

## PRODUCT PERFORMANCE

COMFORT ✓✓✓✓

GRIP ✓✓✓✓

WEAR ✓✓✓✓

DRAINAGE ✓✓✓✓✓

CODE	SIZE
CLS	600 x 900mm
CLN	900 x 1500mm
CLR	900 x 1500mm (GP)
CLT	900 x 1500 (GR)

12mm thick

(GR) Grease Resistant  
(GP) Grease Proof

## PRODUCT PERFORMANCE

COMFORT ✓✓✓✓

GRIP ✓✓✓✓

WEAR ✓✓✓✓

DRAINAGE ✓✓✓✓✓ (HOLED)

CODE	SIZE
NIK35	900 x 1500mm
NIK35H	900 x 1500mm

9mm thick





# Air Grid - Holed

## PRODUCT PERFORMANCE

COMFORT ✓✓✓✓✓✓

GRIP ✓✓✓✓✓✓

WEAR ✓✓✓✓✓✓

DRAINAGE ✓✓✓✓✓

CODE	SIZE
AG34GH	900 x 1200mm

14mm thick

## FEATURES

- Unique combination of comfort and wear features.
- Made from grease proof rubber.
- Non-slip surface.
- Relieves the strain on legs.
- Suction cups assist mats adhesion.
- Ideal for demanding work areas wet or dry.



### Drainage Channel

Trapped liquid under the mat flows safely out the channels to save mat aquaplaning.

# Ultra Stand - Holed

## FEATURES

- Offers extreme comfort properties
- Resists all chemicals, oils, greases and fats.
- Machine washable.
- Anti-microbial.
- Non-slip base & top.
- Closed cell foam does not absorb liquid.
- Holes in mat surface allow for quick drainage.

## PRODUCT PERFORMANCE

COMFORT ✓✓✓✓✓✓


GRIP ✓✓✓✓✓✓

WEAR ✓✓✓✓✓✓

DRAINAGE ✓✓✓✓✓✓

CODE	SIZE
USH23	600 x 900mm
USH35	900 x 1500mm

17mm thick



# Cushion Mat Unbacked

www.mattek.com.au



Blue



Black



Grey


## FEATURES

- Looped vinyl surface
- Unbacked to allow water and dirt to pass through.
- Excellent comfort.
- Ideal for use in wet and barefoot traffic areas where drainage and safety footing is required.
- Also suitable for entrance recesses.


# Safeguard Matting

## FEATURES:

- Hardwearing PVC 'Z' Construction.
- Non-slip surface quickly drains for safety.
- Comfortable surface for barefoot traffic.
- Easy to clean by hose.
- Use indoor or outdoor.
- Ideal for pools, showers.
- Edging available.



Heavy Duty



Medium Duty

## PRODUCT PERFORMANCE

COMFORT ✓✓✓✓

GRIP ✓✓✓✓

WEAR ✓✓✓

DRAINAGE ✓✓✓✓

CODE	SIZE
CM1200U	1200mm runner

14mm thick



## PRODUCT PERFORMANCE

COMFORT ✓✓✓

GRIP ✓✓✓✓

WEAR ✓✓✓✓

DRAINAGE ✓✓✓✓

CODE	SIZE
ZE1200	1200mm x 12m roll
ZD1200	1200mm x 12m roll

**ZD** Heavy Duty (8.5mm Thick)

**ZE** Medium Duty (5mm Thick)






# Utility Matting

## FEATURES

- Versatile safety matting on a roll.
- Anti-slip mat can be cut to any required length, width or shape.
- Comfortable surface with drainage holes.
- Raised backing to assist drainage.
- Ideal for factories, boats, utes, vans etc.
- Suction caps on underside for better floor adhesion.
- Edging available.



Backing

## PRODUCT PERFORMANCE

COMFORT ✓✓✓✓✓

GRIP ✓✓✓✓✓

WEAR ✓✓✓✓✓

DRAINAGE ✓✓✓✓✓✓✓


CODE	SIZE
UM900R	900mm x 10m
UM1800R	1800mm x 10m

10mm thick




# Tube Tred

www.mattek.com.au



Blue



Black

## FEATURES

- PVC tubular matting can be cut to any length or shape.
- Soft surface drains and resists oils, chemicals and alkalis.
- Ideal for wet areas like bars, boats, workshops, swimming pools and, showers.
- Made in Australia.

## PRODUCT PERFORMANCE

COMFORT ✓✓✓✓

GRIP ✓✓✓✓

WEAR ✓✓✓✓

DRAINAGE ✓✓✓✓✓

CODE	SIZE
TT	12mtr (l) x 900mm (w)

12mm thick



# Supa Grippa

## FEATURES

- PVC solid matting can be cut to any length or shape.
- Soft surface drains and resists oils, chemicals and alkalis.
- Ideal for wet areas like bars, boats, workshops, swimming pools, showers.
- Heavy duty construction.
- Made in Australia



Black



Blue

## PRODUCT PERFORMANCE

COMFORT ✓✓✓✓

GRIP ✓✓✓✓✓

WEAR ✓✓✓✓✓

DRAINAGE ✓✓✓✓✓

CODE	SIZE
SG	12mtr (l) x 900mm (w)

12mm thick





# specialised safety mats



# Boot Dip Mat

[www.mattek.com.au](http://www.mattek.com.au)



## FEATURES

- Hundreds of bristles encourage boot cleaning whilst trapping dirt.
- Raised walls to hold anti-germ detergent or any liquid for hygienic cleaning.
- Yellow edges for high visibility.
- Cross grip rear design firmly holds the mat to floor.

# Tacky Mat

## FEATURES

- Designed to attract and contain dust and dirt.
- Effectively removes dirt from shoes and castors.
- Anti-Microbial Surface is perfect for clean rooms, labs, surgical rooms and medical offices.
- Simply peel off sheet when contaminated.
- Available in 60 disposable sheet pads.



Tear offs are numbered



CODE	SIZE
BDM	980 x 810 x 47mm

47mm thick

CODE	SIZE
TM23	600 x 900mm
TM34	915 x 1143mm

3.5mm thick



# ECO Diamond Foot-Weldsafe



## PRODUCT PERFORMANCE

COMFORT     

WEAR    

GRIP     

CODE	SIZE
ED23	600 x 900mm
ED35	900 x 1500mm
ED900	900mm runner

14mm thick



## PRODUCT PERFORMANCE

COMFORT    

WEAR    

GRIP    

CODE	SIZE
WMC	700 x 800mm centre
WME	700 x 800mm end

15mm thick



## FEATURES

- Resists welding sparks.
- Offers excellent comfort and non-slip properties.
- Resists most common greases and oils.
- Topping 65% Recycled. Made from recycled rubber & PVC.

# Welding Mat

## FEATURES

- Specially designed to resist welding flux and grinding sparks of 1300 to 1500 centigrade for less than 3 seconds.
- Excellent durability and highly resistant surface for load bearing characteristics.
- Can be used in both greasy / dry environment.
- Reduces fatigue during prolonged standing.
- Available with designs for non-slip surfaces.



# Fire Resistant Mat

www.mattek.com.au

## FEATURES

- Ideal for fire hazardous areas, as the mat is inherent with a combination of properties for resisting fire.
- Does not emit chlorine or chlorinated gaseous compounds, such as hydrochloric acid fumes, sulfur monochloride and chlorine etc.
- Very low smoke emission.
- Excellent resistance to general weathering conditions and has inherent ageing resistance.
- Very good load bearing characteristics.
- Good wear and tear properties coupled with strength for more durability.
- Tested according to EN 13501-1 by Vienna, Austria and has classification Cfl-Sl.
- Recommended for use in public places

# Switchboard Corrugated

## Non Conductive

## FEATURES

- Durable 1/4" PVC corrugated runner improves safety with increased traction.
- Made to protect workers from high voltage equipment.
- Easy to clean surface.
- Dielectric strength up to 30,000 volts (VAC).
- Recommended maximum usage - 17,000 volts (VAC).

## NON FIRE RESISTANT MAT SAMPLE



Subjected to flame for 40 seconds.



Sample position soon after the burner is removed.



Mat burns with bright flame & fire propagation visible with heavy smoke.

## FIRE RESISTANT MAT SAMPLE



Subjected to flame for 40 seconds.



Sample position soon after the burner is removed.



Sample does not propagate fire, slight smoke only.

## PRODUCT PERFORMANCE

COMFORT ✓✓✓

WEAR ✓✓✓✓✓

GRIP ✓✓✓✓✓

CODE	SIZE
FR35	900 x 1500mm

24mm thick

## PRODUCT PERFORMANCE

COMFORT ✓

WEAR ✓✓✓✓

GRIP ✓✓✓✓✓

CODE	SIZE
SCR	900mm runner

6.5mm thick

Solid Back

Custom Sizes Available





# Conductive Diamond Foot

## PRODUCT PERFORMANCE

COMFORT ✓✓✓✓✓

WEAR ✓✓✓✓✓

GRIP ✓✓✓✓✓

CODE	SIZE
CDF900	900mm runner
GC	Grounding Cord

14mm thick



## FEATURES

- Durable electrically conductive PVC surface NGB bonded to a resilient anti-fatigue closed-cell PVC foam base.
- Mat provides comfort for workers while protecting equipment from static electricity.
- Conductive diamond surface removes static electricity from workers preventing damage to sensitive electronic equipment and systems as well as providing a non slip surface.
- RTT -  $10^4$  -  $10^5$  ohms.
- RTG -  $10^4$  -  $10^5$  ohms.
- Bevelled edges on all mats.
- Snap will be installed on all stock mats if requested.



15mtr grounding cord optional

# Softstat Dissipative Matting

## Conductive

## FEATURES

- Ergonomically styled antifatigue matting designed to provide comfort and relief for aching feet and legs.
- Helps prevent damaging equipment from static electricity.
- RTT -  $10^8$  -  $10^9$  ohms.
- RTG -  $10^8$  -  $10^9$  ohms.
- 100% closed cell PVC foam.
- Beveled edge for increased safety.
- Material can easily be cut to fit any work area.
- Optional grounding cord available.
- Snap will be installed on all stock mats if requested.



1.5mtrs grounding cord optional

## PRODUCT PERFORMANCE

COMFORT ✓✓✓✓✓

WEAR ✓✓✓✓✓

GRIP ✓✓✓✓✓

CODE	SIZE
STT900	900mm runner
GC	Grounding Cord

12mm thick



# Edging



NEHD

NER

Uses

- Provides an anti-trip finish to custom sized entrance mats

# Grounding Cords

Uses



- Earths static dissipative mats.



# Non Skid Backing

Uses

- Provides an anti-slip surface
- Provides traction under mats & rugs.
- Ideal for: Car boots, Drawers, Food/Drink trays, Tool boxes.



CODE	DESCRIPTION
NER	Standard Edging
NEHD	Heavy Duty Edging

CODE	SIZE
GC	1.5 mtr cord

CODE	DESCRIPTION	SIZE
NSML	Light Duty	1500mm (width)
NSMH	Heavy Duty	1370mm (width)



www.mattek.com.au

## Tactiles

- Used to assist people with visual impairment, providing early warning of approaching hazard.

### COLOURS:

Black  
Grey  
Yellow  
Stainless Steel\*

\* studs only

CODE	SIZE
TCS1	200mm x 200mm
TSS1	45mm Diameter

## Lane Marking Tape

- Mark out pathways and lanes

CODE	SIZE
LMT48	33m x 48mm

## Anti Slip Tapes

- Create a safe environment with these adhesive backed tapes.
- Available in black, black & yellow or clear.

CODE	SIZE
AST25	18m x 25mm
AST48	18m x 48mm
AST600	18m x 600mm

Black

Black/Yellow

Clear

# Cable Protector

www.mattek.com.au

- Protects cables and cords from damage by foot traffic & trolleys.

CODE	SIZE
CP	75 x 2500mm

# Cable Safe

FEATURES

- Safe & effective way to eliminate tripping on cords.
- Specially formulated non-skid backing wont slip on any floor.
- Chevron safety borders stand out.
- Eliminates trips on power cords.




CODE	SIZE
CS1	500 x 1000mm

14mm thick

# Bar Runners

FEATURES

- Moisture absorbent surface.
- Machine washable / tumble dry.
- Nitrile rubber backed.
- Can be custom printed.



CODE	SIZE
BR925	900 x 250mm
BR1525	1500 x 250mm
BRP925*	900 x 250mm

\* Printed





# Access Ramps



## FEATURES

- Easy installation.
- Reduce trip hazards.
- Maintenance free.
- Made from recycled rubber.
- Four standard sizes.
- Can be trimmed to required sizes.

CODE	THICKNESS	SIZE
AR0	25mm	900 x 200mm
AR1	32mm	1067x 305mm
AR2	44mm	1270 x 457mm
AR3	55mm	1524 x 610mm

# Bottlebrush Mats

## FEATURES

- Durable Galvanised wire frame.
- Coir "Bottlebrush" fibres scrub shoes clean.
- Boot Scraper cleans both sides and base of shoes.

CODE	SIZE
BBBS	320 x 330mm
BBM4	500 x 800mm

# Sure Track

## FEATURES

- Protects lawns from vehicle damage.
- Provides traction for bogged vehicles.
- 60 Tonne weight rated
- Made from ultra durable polyethylene.

CODE	SIZE
SH48	1110 x 2400 x 12.7mm

# Kenware is constantly developing new products.

[illegible]



	Acetic Acid 30%	Acetone	Animal Fats	Brake Fluid	Butyl Alcohol	Chlorine (Wet)	Cutting Fluid (Water Base)	Cutting Fluid (Solution Based)	Diesel Oil	Gasoline	MEK	Mineral Oil	Nitric Acid (Dilute)	Sodium Hydroxide	Sulphuric Acid (Dilute)	Toluene	Transmission Fluid	Trichloroethane	Vegetable Oil	Xylene
Air Grid	1	1	3	3	1	4	2	2	3	3	3	4	3	1	3	3	3	4	3	3
Air Grid (GP)	1	2	2	4	2	1	3	3	3	2	2	2	1	1	1	1	2	4	1	4
Boot Dip Mat	3	2	2	1	1	3	3	3	4	4	3	4	4	1	2	4	4	4	3	4
Bubble Mat	2	2	4	4	2	4	2	3	4	4	4	4	4	2	4	4	4	4	4	4
Comfort Clean	1	2	2	4	2	1	3	3	3	2	2	2	1	1	1	1	2	4	1	4
Comfort Link (GP)	1	2	2	4	2	1	3	3	3	2	2	2	1	1	1	1	2	4	1	4
Comfort Link Holed	2	2	4	4	2	4	2	3	4	4	4	4	4	2	4	4	4	4	4	4
Comfort Link Solid	1	1	3	3	1	4	2	2	3	3	3	4	3	1	3	3	3	4	3	3
Cushion Deck Tile	2	4	3	1	2	3	2	3	3	1	4	3	1	2	2	1	2	3	3	3
Diamond Foot	2	4	1	4	3	3	2	3	2	1	4	3	2	2	1	2	3	3	1	3
Diamond Foot - Weldsafe	2	2	4	3	1	4	4	1	4	4	4	4	4	1	4	4	4	4	4	4
Easy Tile	2	4	3	1	2	3	2	3	3	1	4	3	1	2	2	1	2	3	3	3
Ergo Tred	2	2	4	4	2	4	2	3	4	4	4	4	4	2	4	4	4	4	4	4
Fire Resistant Mat	1	1	3	3	1	4	2	2	3	3	3	4	3	1	3	3	3	4	3	3
Maxi Grip	1	2	2	4	2	1	3	3	3	2	2	2	1	1	1	1	2	4	1	4
Rubber Matting Roll	2	2	4	4	2	4	2	3	4	4	4	4	4	2	4	4	4	4	4	4
Safeguard	2	3	2	2	3	2	1	2	3	1	4	2	1	2	1	2	2	3	1	4
Safety Cushion	2	2	4	4	2	4	2	3	4	4	4	4	4	2	4	4	4	4	4	4
Safety Cushion (GP)	1	2	2	4	2	1	3	3	3	2	2	2	1	1	1	1	2	4	1	4
Safety Cushion (GR)	1	1	3	3	1	4	2	2	3	3	3	4	3	1	3	3	3	4	3	3
Sliptech	1	2	1	4	2	2	2	2	2	1	1	2	1	2	1	1	2	4	1	2
Soft Foot	2	4	2	4	2	3	2	3	2	1	4	3	2	3	1	1	3	4	3	3
Solid Top Anti-fatigue	2	2	4	4	2	4	2	3	4	4	4	4	4	2	4	4	4	4	4	4
Supa Grippa	2	3	2	2	3	2	1	2	3	1	4	2	1	2	1	2	2	3	1	4
True Grip	3	2	2	1	1	3	3	3	4	4	3	4	4	1	2	4	4	4	3	4
Tube Tred	2	3	2	2	3	2	1	2	3	1	4	2	1	2	1	2	2	3	1	4
Ultra Stand	1	2	1	1	2	1	1	1	2	2	1	1	1	1	1	1	1	1	1	2
Utility Matting	2	2	4	4	2	4	2	3	4	4	4	4	4	2	4	4	4	4	4	4
Welding Mat	4	4	1	3	2	4	1	1	1	1	4	2	2	4	3	4	1	4	1	3

1 = No Effect  
3 = Moderate Effect

2 = Little Effect  
4 = Not Recommended

(GP) = Grease Proof  
(GR) = Grease Resistant

This chart should be used only as a general guide. We recommend that an industrial chemist be contacted.



PHONE: 1300 KENWARE

[www.mattek.com.au](http://www.mattek.com.au)

Locked Bag 6001

Emu Plains, NSW 2750

Toll Free: 1300 536 927

Fax: 02 4720 4001

Email: [sales@kenwarecommercial.com.au](mailto:sales@kenwarecommercial.com.au)